CRM-93H UNI



Specificatii

Cod ETI	002470002
Descriere	CRM-93H UNI
Denumire clasă	Releu de timp
Tipul voltajului	AC/DC
Numarul de contacte	3
Număr contacte CO	1
Func ie	Releu de timp
Capacitatea maxima de incarcare AC1 (VA)	2000VA
Numarul de functii	10
Tensiunea de alimentare (V)	12V-240V
Curent nominal (A)	8A

Pagina de produse online


Alta documentatie

Descriere
Catalog caracteristici tehnice
Model 3D
2D mușchi
Manual de instructiuni
Declaratie CE
Eplan mușchi

ETIM clasificare internationala

Clasificare	EC001669
Denumire clasă	Timer relay for distribution board
Type of excitation	Digital with multi function
Function	Multi function
1st interval unit	Seconds/hours
1st interval	0.1…240
Mounting method	DIN rail
Width in number of modular spacings	1
Built-in height	65mm
Number of changeover switches	3
Supply voltage	12…240V
Voltage type (supply voltage)	AC/DC
Nominal switching current at 250 V AC	8A

Desen cotat


1-MODULE DESIGN
90
67.5
45.3
65
35
16
3.4
35
15.5
6
15.3
15.8
6
15.3
15.5
CRM-91H
CRM-93H
17.6
14.8
5
90
67.5
7
7.2
7.5
7.5
15.8
45
6.2

Simbol/Conexiune

CRM-93H

